

Roll-Rite® TarpMaster® Series

Safe. Simple. Automated Tarping.



Arm-Style Electric Tarp Systems for Dump Trucks and Specialty Vehicles

Roll-Rite® TarpMaster® Series for automated tarping delivers unmatched safety, durability, and efficiency. Engineered to fit most dump trucks, our pre-assembled systems install fast and perform reliably—so you can secure every load and keep your business moving.



A Clarience Technologies Company


Quality, durable components engineered for tarping construction & municipal trucks.

TarpMaster® Series Tarp Systems may include:



Electric Motor

- High-torque power for reliable tarping performance
- Chrome-plated, corrosion-proof casing for long-lasting, professional appearance
- Backed by industry's only 5-year non-prorated warranty against premature wearout



Housing & Tarp Spool Kits

- Wind-deflector housing provides standard tarp and wind protection
- Multiple housing style options for built-in or maximum wind protection
- Complete, easy-install kits with motor, axle, wiring, and hardware included



Roll-Rite Arms

- Ultra-durable, lightweight, specially treated extruded aluminum arms for maximum strength-to-weight performance
- Telescoping upper bow for easy, adjustable installation



Tension Bow or Tension Hoop Option

- Tension Bow (see opposite page) keeps tarp secured behind tall cab guards (8"+) to ensure proper fit and coverage
- Redesigned Tension Hoop offers improved hold-down and load clearance with simple rotational pressure adjustments for tailored hold-down needs



Offset Bow Arm Option

- Angled arms (30° or 45°) avoid load zones and clear cab doors
- Delivers customizable adjustability for a perfect system fit



Pivot Mounts

- Heavy-duty 3-, 4-, or 5-spring pivots for dump bodies from 16–26 ft.
- High-mount option supports specialized bodies like spreaders or belly dumps
- Fully adjustable pin for precision spring pressure adjustment
- Rust-resistant aluminum construction with automotive-grade SAE 404 4037 hardware

Rite-Touch™ Option

- Amp-sensing auto-shutoff prevents breaker trips and protects the system
- Eliminates manual resets and reduces operator downtime



Housing Styles

Several housing and spool kits are available to suit your truck installation needs.



Full



Wind Deflector



Tarp Spool Only

TARPMASTER® 300

For Single-Axle Trucks Using up to 16 feet of Mesh Tarp... Base System: #63070:

- TarpMaster 97" Tarp Spool with Wind Deflector
- 3-Spring External Mount Pivot Set
- Tarp Bow



TARPMASTER® 400

For Tandem Trucks Using up to 20 feet of Tarp... Base System: #64170:

- TarpMaster 97" Tarp Spool with Wind Deflector
- 4-Spring External Mount Pivot Set
- Tarp Bow
- Option shown: Tension Bow

TARPMASTER® 400HM

For Tandem Trucks Using up to 20 feet of Tarp... Base System: #64170HM:

- TarpMaster 97" Tarp Spool with Wind Deflector
- 4-Spring External High Mount Pivot Set
- Tarp Bow
- Option shown: Tension Bow Tarp Bow

EZ-Mount base for High Mount Pivot Installation



TARPMASTER® 500

For Multi-Axle Trucks Using up to 26 feet of Tarp... Base System: #65712:

- TarpMaster 97" Tarp Spool with Wind Deflector
- 5-Spring External Mount Pivot Set
- Tarp Bow
- Option shown: Tension Bow

Specialty Applications

TarpMaster systems are also a great solution for other truck applications.



Stone Slingers




Grapple/Bulk Loaders



Transfer Trailer Trucks

Roll-Rite® Tarps



PREMIUM MESH

LOAD TYPE

Aggregates, general

FABRIC

7.7 oz premium 7.5x5 weave with two 1000 denier polyester UV coated twisted strands (1500D x 1000D)

KEY BENEFIT

Premium strength, longer life cycle than industry standard mesh



HD VINYL (18 OZ)

LOAD TYPE


Moisture or temperature sensitive

FABRIC

18 oz. Heavy Duty waterproof vinyl (cold crack resistance -40°F)

KEY BENEFIT

Solid material to keep loads mostly dry or maintain temperature range. (not waterproof with TarpMaster applications)



HEAT-RESISTANT ASPHALT

LOAD TYPE

Asphalt

FABRIC

15 oz. vinyl urethane coated on both sides for high heat applications to 400°F (cold crack resistance -22°F)

KEY BENEFIT

Withstands direct contact with asphalt up to 400F to help maintain proper temperature

Proud Members:



LEARN MORE ABOUT
TarpMaster Series:



630-RR-TarpMaster-Trucks-4PG-202601

TECHNOLOGY-DRIVEN
Automated Covering Solutions

Contact a Tarp Expert:
1.800.297.9905 | rollrite.com

