

Roll-Rite® DC400 Series

Safe. Simple. Automated Tarping.



Durable Tarp Systems for Hooklift and Roll Off Trucks and Trailers

Roll-Rite® DC Series systems deliver automated tarping with proven safety, durability, and efficiency. Pre-assembled for fast installation and engineered to fit roll offs and hooklifts, they keep your load covered and your business on the move.



A Clarience Technologies Company

Quality, durable components engineered for tarping detachable container trucks & trailers.

DC400 Series Tarp Systems may feature:



Super Duty Electric Motor

- Spur and helical gear motor designed for heavy duty truck and trailer tarping
- Chrome-plated, corrosion-proof casing for long-lasting, professional appearance
- Backed by the industry's only 5-year non-prorated warranty



Tower & Integrated Housing

- Pre-installed, pre-wired, and pre-tested with motor, worklights & controls for fast install in under 10 hours
- Black powder-coated tower for durability & corrosion resistance
- Easy fit: requires only 12 inches of clearance behind cab
- Flexible mounting options (see below)



Black Box™ Wireless Controls

- Pre-wired, improved external connections for fast "install-ready" hookup
- Unlock/re-lock using Ch1/Ch2 sealed membrane buttons or included keyfobs
- Automatic timed lockout—no key lockout required
- Meets SAE J1455 Heavy Duty Vehicle standard
- 360° walk-around remote operation for clear, unobstructed tarping



Roll-Rite Arms

- Ultra-durable, lightweight, specially treated extruded aluminum arms for maximum strength-to-weight performance
- Upper bow adjusts telescopically for easy installation and a precision fit



Top Mount Pivots

- Heavy-duty 6- or 8-spring roller bearing Top Mount pivot set
- Greaseable roller bearings



45° Pivot Offset Option

- Strongest pivot offset available
- Effectively positions base pivot arm parallel to hoist frame, reducing load interference

Tower Mounting Options

- Your choice of tower mounting brackets (shown at right)
- Bolt-on Power Pack and Black Box for varied install needs



• U-Bolt



• Angle Iron

DC400

For similar-sized containers using up to 30 feet of tarp. DC400 systems may feature:

- Super Duty 98" Tarp Spool w/ Integrated Housing, Single Stage Adjustable Tower
- 6-Spring Top Mount Stationary Pivot Set
- Wide Tarp Bow Set
- Wireless Power Pack w/ Black Box™ Remote, 2 Keyfobs
- Worklights
- Option: 2-stage tower adjusts from 5 feet up to 11 feet above truck frame to allow clearance on taller containers



DC402

For varying-sized containers using up to 30 feet of tarp. DC402 systems may contain same features as a DC400 except for following:

- Super Duty 98" Tarp Spool w/ Integrated Housing, Dual Stage Adjustable Tower

DC428

For trucks or trailers hauling similar size containers using from 30 to 36 feet of tarp. DC428 Trailer systems may feature:

- Super Duty 98" Tarp Spool w/ Integrated Housing, Adjustable 2-Stage Tower - adjusts from 5 feet up to 11 feet above truck frame to allow clearance on taller containers
- 8-Spring Top Mount Stationary Pivot Set
- Wide Tarp Bow Set
- Wireless Power Pack w/ Black Box™ Remote, 2 Keyfobs
- Worklights
- (shown) DC428 w/Optional 45° Offset Pivot Arms



The TORC™ Pivot Option

Tension Operated Rotary Cam

Stationary TORC™ pivot technology is here! Ask about our **DC801** (single stage adjustable tower) and **DC802** systems (dual stage adjustable tower). Pivot conversions also available.



SUPERIOR LIFE CYCLE UP TO OR BEYOND CHASSIS LIFE
A TORC™ pivot passed a 100,000+ rigorous cycle testing!



SAFER THAN TRADITIONAL SYSTEMS
NO Steel Springs, NO Hydraulics — Powered by gas springs rated to -30°F for cold weather reliability



ENGINEERED WITH MAINTENANCE IN MIND
Lock-Out/Tag-Out and energy release by a single pin in less than 5 minutes!



TIME-SAVING ON REPAIR LABOR & DOWNTIME

Fast disassembly within 15 minutes after Lock-Out/Tag-Out! Some major pivot assembly repairs in less than 30 minutes total downtime!



GREATER LOAD SECUREMENT

Near constant tension through entire tarping cycle resulting in best-in-class hold down for superior tarping at highway speeds, rough terrain, or harsh weather.




COMPACT, LIGHTWEIGHT

Each pivot, under 30lbs in a compact 3-inch profile, has hold-down power of up to 16 torsion springs when deployed.



Roll-Rite® Tarps



PREMIUM MESH

LOAD TYPE


Refuse, general

FABRIC

7.7 oz premium 7.5x5 weave with two 1000 denier polyester UV coated twisted strands (1500D x 1000D)

KEY BENEFIT

Premium strength, longer life cycle than industry standard mesh



SUPER TOUGH MESH

LOAD TYPE

Challenging scrap, construction & demolition

FABRIC

Premium 16 oz heavy, 7x7 weave with 7,500 denier UV protected strands of polypropylene breathes enough to minimize flapping

KEY BENEFIT

Longer life, up to 3x-5x wear life over other scrap tarps



PLEATED TARP DESIGN

NO SEAMS, NO FLAPS

Get the benefits of a straight tarp and a flapped tarp with none of the hassles. With two pleated folds along the length, the tarp expands up to 10' wide. Pleated tarps are a custom order.

- Eliminate shock cords
- Forget the seams
- Stop straining to reach the center of a flapped tarp

Proud Members:



LEARN MORE ABOUT
DC Series:



694-RR-DC400-Trucks-4PG-202601

TECHNOLOGY-DRIVEN
Automated Covering Solutions

Contact a Tarp Expert:
1.800.297.9905 | rollrite.com

