

Roll-Rite® GTX550 Series

Lock-Down Power Tarp System



For Grain Trailers



Roll-Rite® GTX550 Series



Electric Motor



Rite-Lock™ Technology



Rite-Touch™ Controls

Quality, durable tarp components engineered for demands of grain trailer tarping.

GTX550 Series Tarp Systems May Feature:

- **The Electric Motor:** **Extreme Duty. Extreme Power. Extreme Impact Resistance.** TarpStretcher® EX is designed exclusively for side roll tarping and features our patented brake technology. TarpStretcher-EX offers the highest output for efficient tarping. Specially designed casing is stronger for extreme impact resistance, designed for virtually corrosion-proof protection, and adds a bold profile to your trailer. Features industry's only 5-Year non-prorated warranty against premature wearout
- **Rite-Lock™ Technology:** Our Rite-Lock power kit arms consist of a specially treated, high strength extruded aluminum alloy. Combined with our patented knuckle pivot technology, the Rite-Lock power kit arm provides smooth, compact operation for side tarping.
- **Dual Arm Power Kit:** Includes our front power kit arm and synchronized rear arm for maximum load protection and containment
- **Patented Knuckle Pivot:** Allows axle to climb heaped load and keeps constant tension on tarp for maximum control in wind conditions
- **Bushing Mounted:** Reduces metal to metal contact for long wear life
- **Heavy Duty Adjustable Mounting Bracket:** Works on square or slope nose trailers for a perfect fit on all trailer models
- **Rite-Touch™ Controller:** Rite-Touch controller with patented one-touch technology (pat. 8,666,595) allows operator to open and close with one push of the button to start, stop or reverse direction. Controller works by measuring and monitoring amperage load to a preset value. Water-resistant case protects controller from the most severe elements, providing reliable operation in any weather
- **Remote Control:** Wireless RF transmitter allows for safe tarp operation from either the cab or from 360-degree walk-around position with maximum range of 150 feet.

- Single pin disconnect for crank through access



- Heavy duty adjustable mounting bracket



Dual Arm Power Kit

For Retrofitting Crank Systems on Grain Trailers: PN# 38206

- Rite-Lock™ Dual Arm Power Kit
- Two Heavy Duty Adjustable Mounting Brackets
- Rite-Touch™ One-Touch RF Wireless Controller



Option: MultiFlex™ Rear Arm Features:

For Tailgates: PN# 46515/46525

- **“Multi” Directional Rear Arm Flexibility** allows full operation of all tailgates including standard dump, high lift, barn door and split gates
- **Heavy Duty Cable Design** is unaffected by cold and will not dry rot like other products on the market
- **Designed for Easy Retrofits.** MultiFlex attaches to existing 2” roll pipe via a thick wall polymer bushing that virtually eliminates wear issues
- **Bushing Mounted** external pivot with bushings eliminates metal on metal contact





Tarps By Roll-Rite®



HD Vinyl (18 oz)

- Load Type:
Moisture or temperature sensitive
- Fabric:
18 oz. Heavy Duty waterproof vinyl
(cold crack resistance -40°F)
- Key Benefit:
Single piece construction waterproof material to keep loads dry or maintain temperature range

Roll-Rite® GTX550 for Grain Trailers:

Part #	Description
38206	Roll-Rite GTX550, Dual Arm External Pivot w/RF Wireless Controller
104190	Tractor Wiring Kit
46515	MultiFlex™ Rear Arm - for 2-inch Axle
46525	MultiFlex™ Rear Arm - for 2-inch Axle with Mounting Bracket



RollRite.com • 800.297.9905
rr.info@safefleet.net

See More Ag Coverings
on RollRite.com:



382-RR-ST5-GTX550-Ag-4PG-202402

Copyright ©2024 Safe Fleet and its subsidiaries. All rights reserved. No part of this publication may be reproduced by any means without written permission from Safe Fleet. The information in this publication is believed to be accurate. However, Safe Fleet does not make any representation or warranty to that effect and does not assume responsibility for any consequences resulting from use of such information. Revisions or new editions of the publication may be issued (or not issued) in our discretion to incorporate such changes.

1.877.630.7366
safefleet.net

SAFE  FLEET
Driving Safety Forward™